

CATALOGUE OF THE LAND AND FRESHWATER
SHELLS HITHERTO RECORDED
AS FOUND IN THE COUNTY OF SUFFOLK.

BY CARLETON GREENE, M.A., M.C.S.,
Vicar of Roxton with Great Barford, Beds.

The following Catalogue was undertaken by the present writer in consequence of the lamented death of the Rev. Dr. Churchill Babington, Rector of Cockfield, who had begun to collect materials for a List of Suffolk Shells. Had he lived he would doubtless have carried out his design with that completeness and care which mark his Catalogue of Suffolk Birds, already published. The writer has compiled it out of respect and affection for his memory, though he is only too conscious how far inferior in value the result must be, as compared with what was to be expected from so noted a naturalist. One difficulty lay in the paucity of the materials to be found. The lovers of Conchology in Suffolk are few, and the writer hardly knows whether he is aware of all who do exist. The valuable ms. compiled by Mr. G. T. Rope, of Blaxhall Lodge, is the only contribution of any magnitude, which he has been able to obtain. Dr. Babington's own specimens added to those of the Sudbury Museum, which he purchased, were of course of great use, though they only extended over a limited area. Thanks are due in a very great degree to Mr. W. Denison Roebuck for copies of the Suffolk Records in his possession, as Recorder of the Conchological Society. It has been thought best to incorporate the lists already published by the late Rev. Revett Sheppard, and Mr. W. D. King, of Sudbury, in

the Linnean Society's transactions and the Zoologist respectively. Rev. J. W. Horsley, who has made a special study of the *Helix nemoralis*, and its varieties, had placed his records at Dr. Babington's disposal. The Bury Museum contains a small, but well arranged, collection of Land and Freshwater Shells, due to the skill and care of the late Mr. Skepper. It is hoped that the present list, however imperfect in itself, will be the means of eliciting further information, and stirring up naturalists to pursue the study more diligently, so that records may be obtained from many places hitherto not mentioned, and the catalogue made more complete at some future time. There may be many clergymen, schoolmasters, and country gentlemen, with a taste for natural history, who only need a few hints to move them to ransack their own neighbourhood for the numerous mollusks, which lurk in stream, pond, hedge, and wood. The writer will be glad at any time to receive specimens, no matter how common the specimens may be, for the benefit of a future edition.

The courteous aid of the Curator at the Ipswich Museum must not go unacknowledged. The value of this Institution, especially to Suffolk naturalists, cannot be exaggerated. It is a model of neatness and beauty in its arrangements, and in time the Conchological department will, no doubt, be as complete as the others are. The kindness of Mr. Edgar Smith, of the British Museum, in helping to identify some early recorded shells, must also be acknowledged.

The localities in the Eastern Division of the County are mentioned first where they occur. The order of Jeffreys' British Conchology is observed.

AUTHORITIES CITED.

- The late Rev. Churchill Babington, D.D., F.L.S., rector of Cockfield.
- Mr. G. T. Rope, Blaxhall Lodge.
- Rev. J. W. Horsley, M.A., vicar of Holy Trinity, Woolwich.
- Rev. Stephen S. Pearce, M.A., Yelverton, Norwich.
- Rev. W. L. Eyre (Records of the Conch. Soc.)

Mr. Candler (Records of the Conch. Soc.)

Mr. Christy " "

Mr. R. D. Darbshire, B.A., F.G.S.

Mr. F. Norgate, Bury St. Edmund's.

Miss F. B. Powles, Ipswich.

Leach's Mollusca of Great Britain, 1852.

Reeve's Land and Freshwater Mollusks of the British Isles, 1863.

Turton's Land and Freshwater Shells of Great Britain (ed. Gray), 1840.

Jeffrey's British Conchology, 1862.

Forbes and Hanley's British Mollusca, 1853.

Rimmer's Land and Freshwater Shells of the British Isles, 1880.

Brown's Illustrations of Recent Shells, 1845.

Tate's Land and Freshwater Mollusks of Great Britain, 1866.

Rev. R. Sheppard in Linnean Society's Transactions, Vol. xiv.

The Zoologist, 1853, Vol. xi., p. 3916 (W. D. King).

Ipswich Museum. The Alder Collection, Newcastle.

British Museum (Br. M.) Bury St. Edmund's Museum (B. M.)

Sudbury Museum (S. M.) [now dispersed]. Edinburgh Museum.

FRESHWATER.

SPHÆRIUM. *Scopoli.*

Sphærium corneum *Linné.* *Cyclas cornea* (F. and H.)

Localities—Suffolk (Sheppard); Ipswich (Mus.); Bury St. Edmund's (B. M.); Cockfield, Mildenhall (C. B.); Sudbury (King).

Sphærium rivicola *Leach.* *Cyclas rivicola* (F. and H.)

Localities—Ipswich [?] (Mus.)

Sphærium lacustre *Müller.* *Cyclas caliculata* (F. and H.)

Localities—Barton Mere (C. B.); Sudbury (King).

PISIDIUM. *Pfeiffer.*

Pisidium amnicum *Müll.*

Localities—Suffolk (Sheppard); Ipswich, Bury St. Edmund's (Powles); Sudbury (C. B.)

Pisidium fontinale *Draparnaud.*

Ipswich [?] (Mus.)

var. *Henslowana* *Sheppard.*

Localities—Holbrook (Sheppard); Sudbury (King).

var. *pulchella* *Jenyns.*

Localities—Sudbury (C. B.)

Pisidium pusillum *Gmelin.*

Localities—Bury St. Edmund's (Powles); Whepstead (Gilbertson in the Alder Collection).

ANODONTA. *Lamarck.*

Anodonta cygnea *Linn.*

Localities—Suffolk (Sheppard); Ipswich (Mus.); Elmingham (Brown); Barton Mere, Cockfield (C. B.); Livermere (B. M.); Sudbury (King).

var. *zellensis* *Gmel.*

Localities—Blaxhall (Rope).

Anodonta anatina Linn.

Localities—Barham, Campsey Mere (Sheppard); Ipswich (Mus.); Bures (C. B.)

DREISSENA. *Van Beneden.*

Dreissena polymorpha Pallas.

Localities—Suffolk (Christy).

NERITINA. *Lam.*

Neritina fluviatilis Linn.

Localities—Suffolk (Sheppard); Sudbury (C. B.)

PALUDINA. *Lam.*

Paludina conlecta Millet; P. Listeri (F. and H.)

Localities—Leiston (Rope); R. Orwell (S. M.); Felixstowe (Sheppard); said to be common in the canal, forming the present course of the Minsmere from East Bridge, Theberton to the Sea (Rope); Ixworth (B. M.).

Paludina vivipara Linn.

Localities—Suffolk (Sheppard); Leiston (Rope); Sudbury, Icklingham (C. B.)

BYTHINIA. *Gray.*

Bythinia tentaculata Linn.

Localities—Suffolk (Sheppard); Blaxhall, Farnham and Leiston (Rope); Ipswich (Mus.); Sudbury, Cockfield, Icklingham (C. B.); Bury St. Edmund's (Ips. Mus.)

var. *producta Menke.*

Localities—Blaxhall, Leiston (Rope).

var. *marginata.*

Localities—Blaxhall (Rope).

var. *zonata.*

Localities—Blaxhall (Rope).

Bythinia Leachii Shepp.

Localities—Suffolk (Sheppard); Blaxhall (Rope); Campsey Mere, Holbrook (Sheppard in Leach's Mollusca of Gt. Britain); Sudbury (King); Icklingham, Barton Mere (?) (C. B.)

HYDROBIA. *Hartmann.*

Hydrobia ventrosa Montagu; *Rissoa ventrosa* (F. and H.)

Localities—Aldborough (C. B.); Southwold (Rope).

VALVATA. *Müll.*

•*Valvata piscinalis Müll.*

Localities—Blaxhall, Leiston (Rope); Sudbury, Barton Mere (C. B.)

Valvata cristata Müll.

Localities—Suffolk (Sheppard); Botesdale (B. M.); Blaxhall (Rope); Barton Mere, Cockfield, Livermere (C. B.); Sudbury (King).

PLANORBIS. *Guettard.**Planorbis nitidus Müll.*

Localities—Campsey Ash, Baylham (Sheppard); Sudbury (King).

Planorbis nautilus Linn.

Localities—Iken (Rope); Spexhall, Offton, Nettlestead (Sheppard); Rickinghall (Ips. Mus.).

Planorbis albus Müll.

Localities—Suffolk (Sheppard); Sudbury (King).

var. *Draparnaldi Shepp.*

Localities—Holbrook (Sheppard).

Planorbis spirorbis Müll.

Localities—Ipswich (Powles); Bury St. Edmund's (Ips. Mus.)

Planorbis vortex Linn.

Localities—Suffolk (Sheppard); Harleston (Candler); Ipswich (C. B.); Sudbury (King); Bury St. Edmund's (B. M.); Felsham (C. B.)

Planorbis carinatus Müll.

Localities—Blaxhall, Farnham, Leiston, Stratford St. Mary (Rope); R. Gipping (Sheppard); Ipswich (Mus.); Sudbury (King); Bury St. Edmund's (B. M.); Rickinghall (Ips. Mus.); Fornham (Ips. Mus.)

Planorbis complanatus Linn. P. marginatus (F. and H.)

Localities—Blaxhall (Rope); R. Blyth, near Halesworth, Baylham, Holbrook, Higham (Sheppard); R. Ore (Sheppard in Leach's Moll. of Gt. B.); Ipswich (Mus.); Sudbury (King); Bury St. Edmund's (B. M.)

Planorbis corneus Linn.

Localities—Suffolk (Sheppard); Ipswich (Mus.); Sudbury (King); Icklingham (C. B.); Bury St. Edmund's (Ips. Mus.)

Planorbis contortus Linn.

Localities—Suffolk (Sheppard); Blaxhall, and R. Alde (Rope); Aldborough (C. B.); Ipswich (Mus.); Sudbury (King); Bury St. Edmund's (B. M.).

PHYSA. *Lam.**Physa hypnorum Linn.*

Localities—Suffolk (Sheppard); Botesdale (B. M.); Sudbury (King); Cockfield (C. B.)

Physa fontinalis Linn.

Localities—Suffolk (Sheppard); Blaxhall (Rope); Sudbury (King); Bury St. Edmund's (B. M.)

LIMNÆA. *Bruguière.**Limnæa glutinosa Müll.*

Localities—Mildenhall (C. B.)

Limnæa peregra Müll.

Localities—Suffolk (Sheppard); Felixstowe (C. B.); Bury St. Edmund's (B. M.); Barton Mere, Bardwell, Hitcham (C. B.)

var. *lutea Mont.*

Localities—Sproughton (Sheppard).

var. *ovata Drap.*

Localities—Blaxhall (Rope); Cockfield (C. B.)

var. *acuminata.*

Localities—Suffolk (Eyre).

var. *vulgaris.*

Localities—Blaxhall, Farnham (Rope).

var. *ampullacea.*

Localities—Blaxhall, Farnham (Rope).

var. *oblonga.*

Localities—Lewes, Suffolk (Jeffreys in British Conchology).

N.B.—This is probably an error for Sussex. There is no Lewes in Suffolk.

Limnæa auricularia Linn.

Localities—Blaxhall, Farnham, R. Alde (Rope); Campsey Mere, Holbrook, Baylham (Sheppard); Ipswich, Bury St. Edmund's (Powles); Sudbury, Cockfield (C. B.); Felsham (Ips. Mus.)

var. *acuta Jeffr.*

Localities—Yoxford (Barlee in Jeffreys' B. C.)

Limnæa stagnalis Linn.

Localities—Suffolk (Sheppard); Blaxhall, R. Stour (Rope); Ipswich (Mus.); Sudbury, Barton Mere (C. B.); Bury St. Edmund's (B. M.)

var. *fragilis (?)*

Localities—Bury St. Edmund's (Powles).

var. *albida.*

Localities—Bury St. Edmund's (Ips. Mus.)

Limnæa palustris Müll.

Localities—Suffolk (Sheppard); Blaxhall, Farnham, Leiston (Rope); Yoxford (Ed. Mus.); Sudbury (C. B.); Bury St. Edmund's (B. M.)

var. *corvus Gmel.*

Localities—Suffolk (Barlee in Jeffreys' B. C.)

var. *elongata Moq.*

Localities—Blaxhall (Rope).

Limnaea truncatula Müll.

Localities—R. Alde (Rope); Claydon, Holbrook, Stutton, Higham (Sheppard); Sudbury (King); Bury St. Edmund's (B. M.)

var. elegans (?)

Localities—Holbrook (Sheppard).

var. albida.

Localities—Levington (Sheppard).

Limnea glabra Müll.

Localities—Suffolk (Jeffreys and Leith in Leach's Mollusks of Gt. B.)

ANCYLOS. *Geoffroy.**Ancylus fluviatilis Müll.*

Localities—Botesdale (B. M.); Sudbury, R. Stour (C. B.); Hitcham (Ips. Mus.)

Ancylus lacustris Linn. A. oblongus (F. and H.)

Localities—Suffolk (Sheppard); R. Deben, Woodbridge (Powles); Botesdale (B. M.); Sudbury (King).

LAND.

ARION. *Férussac.**Arion ater Linn.* A. empiricorum (F. and H.)

Localities—Blaxhall, Farnham, Stratford St. Mary (Rope):

var. brunneæ.

Localities—Stratford St. Mary (Rope).

Arion hortensis Fér.

Localities—Blaxhall (Rope).

Arion Bourguignati.

Localities—Woodbridge (Pearce).

LIMAX. *Linn.**Limax marginatus Müll.*

Localities—Woodbridge (Pearce).

var. rustica Moq.

Woodbridge (Pearce).

Limax flavus Linn.

Localities—Blaxhall (Rope); Woodbridge (Pearce).

Limax agrestis Linn.

Localities—Woodbridge (Pearce).

Limax maximus Linn. L. cinereus (F. and H.)

Localities—Blaxhall (Rope); Woodbridge (Pearce); Hardwick (B.M.).

Limax laevis Müll.

Localities—Woodbridge (Pearce).

TESTACELLA. *Cuvier.**Testacella haliotidea Drap.*

Localities—Blaxhall (Rope); Woolverstone (Rimmer); Bury St. Edmund's (Norgate).

SUCCINEA. *Drap.**Succinea putris Linn.*

Localities—Blaxhall (Rope); Campsey Mere (Sheppard); Woodbridge (Pearce); Ipswich (Mus.); Melton (Powles); Sudbury (King); Bury St. Edmund's (B. M.)

var. *vitrea* *Mog.*

Localities—Blaxhall (Rope).

var. *solidula*.

Localities—Blaxhall (Rope).

Succinea elegans Riss. *S. putris* var *elegans* (F. and H.)

Localities—Blaxhall, Farnham, Snape, Iken, Leiston (Rope); Bury St. Edmund's (B. M.)

var. *longiscata* *Dupuy.*

Localities—Leiston (Rope).

VITRINA. *Drap.**Vitrina pellucida Müll.*

Localities—Blaxhall, Farnham, Leiston (Rope); Offton, Shotley (Sheppard); Melton (Powles); Sudbury (King); Bury St. Edmund's (B. M.)

ZONITES. *De Montfort.**Zonites cellarius Müll.*

Localities—Blaxhall (Rope); Weybread (Candler); Ipswich (Mus.); Melton (Powles); Cockfield (C. B.); Bury St. Edmund's (B. M.)

Zonites allarius Miller.

Localities—Friston (Sheppard); Blaxhall (Rope); Ipswich (Mus.); Cockfield, Hitcham (C. B.); Bury St. Edmund's (B. M.); Sudbury (King).

Zonites glaber Studer.

Localities—Felsham, Chedburgh (C. B.)

Zonites nitidulus Drap.

Localities—Blaxhall (Rope); Offton (Sheppard); Weybread (Candler); Felsham, Cockfield, Hitcham (C. B.); Sudbury (King); Bury St. Edmund's (B. M.)

Zonites purus Alder.

Localities—Cockfield (C. B.)

var. *margaritacea*.

Localities—Felsham (C. B.)

Zonites radiatulus Alder.

Localities—Blaxhall (Rope); Cockfield (C. B.); Sudbury [?] (King).

Zonites nitidus Müll.

Localities—Bury St. Edmund's (B. M.); Sudbury (King).

Zonites excavatus Bean.

Localities—Hardwick (B. M.)

Zonites crystallinus Müll.

Localities—Blaxhall (Rope); Suffolk (Sheppard); Melton (Powles); Sudbury (King); Cockfield (C. B.); Bury St. Edmund's (B. M.)

Zonites fulvus Müll. *Helix fulva* (F. and H.)

Localities—Suffolk (Sheppard); Blaxhall (Rope); Melton (Powles); Drinkstone (B. M.); Sudbury (King); Chedburgh (C. B.)

HELIX. *Linn.*

Helix aculeata Müll.

Localities—Suffolk (Sheppard); Melton (Powles); Hardwick (B. M.); Sudbury (King); Bury St. Edmund's (Ips. Mus.)

Helix pomatia Linn.

Localities—Blaxhall, not indigenous (Rope).

Helix aspersa Müll.

Localities—Felixstowe (C. B.); Mildenhall, Sudbury, Cockfield (C. B.)

var. *exalbida* Menke.

Localities—Woodbridge (Pearce); Blaxhall [?] (Rope).

var. *minor* Picard.

Southwold (Derbyshire); Wickham Market (Pearce).

Helix nemoralis Linn.

Localities—Ipswich, Melton (Powles); Felixstowe (C. B.); Aldborough (J. W. H.); Blaxhall, Southwold, Snape, Langham, Farnham (Rope); Woodbridge (Pearce); Melford, Felsham (C. B.); Bradfield St. George, Sudbury (J. W. H.); Bury St. Edmund's (B. M.)

var. *hortensis* Müll.

Localities—Melton (Powles); Blaxhall, Farnham, Leiston (Rope); Offton, Holbrook, Higham, Ipswich, Friston (Sheppard); Woodbridge (Pearce); Cockfield (C. B.); Sudbury, Bradfield, St. George, Bradfield (J. W. H.); Bury St. Edmund's (Powles).

sub. var. *lutea* Moq.

Localities—Sudbury (J. W. H.)

sub. var. *petitia* 123|45 Moq.

Localities—Cockfield (J. W. H.)

sub. var. *putonia* 123|45 Moq.

Localities—Bradfield (J. W. H.)

var. *hybrida Poiret.*

Localities—Ipswich (J. W. H.) Sudbury (King.)

var. *castanea Moq.*

Localities—Sudbury (J. W. H.)

var. *libellula Moq.*

Localities—Sudbury (J. W. H.)

var. *Brissonia 123|45 Moq.*

Localities—Suffolk (J. W. H.)

var. *rubella Moq.*

Localities—Bradfield Combust (J. W. H.)

var. *Cuvieria 003|00 Moq.*

Localities—Aldborough, Bradfield (J. W. H.)

var. *Polia 003|00 Moq.*

Localities—Aldborough, Felsham (J. W. H.)

var. *Petiveria Moq.*

Localities—Aldborough, Felsham (J. W. H.)

Helix arbustorum Linn.

Localities—Suffolk (Sheppard); Blaxhall, Stratford St. Mary (Rope); Ipswich (Mus.); Melton, Bury St. Edmund's (Powles); Sudbury (King).

var. *flavescens.*

Localities—Blaxhall (Rope); Bungay (Fowler); Ipswich (Mus.)

var. *Poiretia Moq.*

Blaxhall (Rope).

Helix Cantiana Mont.

Localities—Suffolk (Sheppard); Blaxhall, Snape, Stratford S. Mary, Walberswick (Rope); Lowestoft (B. M.); Bungay (Fowler); Woodbridge (Pearce); Lowestoft (Ips. Mus.); Ipswich (Powles); Bardwell (C. B.)

var. *albida.*

Localities—Snape (Rope); Woodbridge (Pearce).

var. *minor Moq.*

Walberswick (Rope).

var. *rubescens Moq.*

Snape (Rope).

Helix rufescens Pennant.

Localities—Suffolk (Sheppard); Woodbridge (Pearce); Stratford St. Mary (Rope); Ipswich (Mus.); Cockfield, Bury St. Edmund's Hitcham (C. B.); Sudbury (King).

var. *albida.*

Localities—Bury St. Edmund's (Br. M.)

Helix concinna Jeffreys.

Localities—Blaxhall, Stratford St. Mary (Rope); Weybread (Candler).

Helix hispida Linn.

Localities—Levington, Baylham (Sheppard); Woodbridge (Pearce); Ipswich (Mus.); Barton Mere, Cockfield, Hitcham, Felsham (C. B.); Sudbury (King); Bury St. Edmund's (B. M.)

var. *subrufa Drap.*

Localities—Blaxhall? (Rope).

var. *albida.*

Hitcham (C. B.)

Helix sericea Müll.

Localities—Bury St. Edmund's (B. M.)

Helix fusca Mont.

Localities—Cockfield, Felsham (C. B.)

Helix virgata Da Costa.

Localities—Suffolk (Sheppard); Blaxhall, Snape, Minsmere sluice (Rope); Aldborough, Felixstowe, Ipswich (C. B.); Woodbridge (Pearce); Sudbury (King); Melford, Barton Mere, Bury St. Edmund's, Lavenham, Cavenham (C. B.)

var. *indistincta.*

Localities—Blaxhall (Rope).

Helix caperata Mont.

Localities—Suffolk (Sheppard); Blaxhall, Farnham (Rope); Felixstowe, Ipswich (C. B.); Woodbridge (Pearce); Sudbury (King); Lavenham, Bury St. Edmund's (C. B.)

var. *lutescens.*

Localities—Blaxhall (Rope).

var. *major.*

Localities—Bury St. Edmund's (Br. M.)

Helix ericetorum Müll.

Localities—Offton, Felixstowe (Sheppard); Witnesham (J. W. H.); Cockfield, Mildenhall, Hitcham, Cavenham (C. B.); Bury St. Edmund's (B. M.); Sudbury (King).

var. *minor.*

Localities—Bury St. Edmund's (Br. M.)

Helix rotundata Müll.

Localities—Offton, Friston (Sheppard); Blaxhall (Rope); Melton (Powles); Cockfield Felsham (C. B.); Sudbury (S. M.); Bury St. Edmund's (B. M.)

Helix pygmæa Drap.

Localities—Baylham, Great Blakenham (Sheppard); Yoxford (Br. M.); Sudbury (King); Clare (Brown); Hardwick (B. M.)

Helix pulchella Müll.

Localities—Suffolk (Sheppard); Blaxhall, Stratford St. Mary (Rope); Sudbury (King); Barton Mere, Cockfield (C. B.); Hardwick (B. M.); Bury St. Edmund's (Ips. Mus.)

var. *costata* *Müll.*

Localities—Snape [?] (Rope).

Helix loricata *Linn.*

Localities—Somersham (Sheppard); Suffolk, not rare (C. B.); Bury St. Edmund's (B. M.); Sudbury (King).

BULIMUS. *Scop.*

Bulimus montanus *Drap.* B. Lackhamensis (F. and H.)

Localities—Suffolk (Sheppard); Cockfield, Lavenham (C. B.); Whepstead (Gilbertson in Alder collection); Drinkstone (B. M.)

Bulimus obscurus *Müll.*

Localities—Ipswich, Spexhall, Friston, Offton (Sheppard); Woodbridge (Pearce); Cockfield, Lavenham, Brockley (C. B.); Drinkstone (B. M.); Sudbury (King); Bury St. Edmund's (Ips. Mus.)

PUPA. *Lamarck.*

Pupa umbilicata *Drap.*

Localities—Blaxhall, Walberswick (Rope); Woodbridge (Pearce); Melton (Powles); Sudbury (King); Bury St. Edmund's (B. M.)

Pupa marginata *Drap.*

Localities—Little Blakenham, Ipswich, Shotley (Sheppard); Melton (Powles); Minsmere Sluice (Rope); Sudbury (King); Bury St. Edmund's (B. M.)

var *edentula* *Menke.*

Localities—Blaxhall (Rope).

VERTIGO. *Müller.*

Vertigo antivertigo *Drap.*

Localities—Suffolk (Sheppard); Blaxhall (Rope); Sudbury (King).

Vertigo Moulinsiana *Dupuy.*

Localities—Levington, Offton, Spexhall (Sheppard).

Vertigo pygmæa *Drap.*

Localities—Blaxhall (Rope); Wenhauston (C. B.); Sudbury (King).

Vertigo substriata *Jeffreys.*

Localities—Suffolk (Turton B. S.)

Vertigo edentula *Drap.* Pupa *edentula* (F. and H.)

Localities—Offton, Friston, Somersham (Sheppard); Melton (Powles); Hardwick (B. M.); Bury St. Edmund's (Ips. Mus.)

BALIA. *Prideaux.*

Balia perversa *Linn.* B. *fragilis* *Linn* (F. and H.)

Localities—Suffolk (Sheppard); Blaxhall (Rope); Woodbridge (Pearce); Sudbury (King); Hitcham, Felsham, Cockfield (C. B.); Bury St. Edmund's (B. M.)

CLAUSILIA. *Drap.*

Clausilia rugosa Drap. C. nigricans (F. and H.)

Localities—Suffolk (Sheppard); Blaxhall (Rope); Melton (Powles); Woodbridge (Pearce); Sudbury (King); Gedding, Cockfield (C. B.); Hardwick (B. M.); Bury St. Edmund's (Ips. Mus.)

var. albida.

Gislingham (Blatch in Rimmer's L. and F. S.)

var. tumidula.

Blaxhall (Rope).

Clausilia biplicata Mont. (?)

Localities—Melton, Bury St. Edmund's (Powles).

Clausilia laminata Mont.

Localities—Suffolk (Sheppard); Woodbridge (Pearce); Blaxhall (Rope); Botesdale (B. M.); Sudbury (King); Newmarket (Wright in Jeffreys' B. C.); Gedding, Felsham, Cockfield, Bury St. Edmund's (C. B.); Drinkstone (Ipswich Mus.)

COCHLICOPA. *Fér.*

Cochlicopa tridens Pulteney. Azeca tridens (F. and H.)

Localities—Friston (Sheppard); Suffolk (Tate).

Cochlicopa lubrica Müll. Zúa lubrica (F. and H.)

Localities—Suffolk (Sheppard); Blaxhall (Rope); Ipswich (Powles); Hitcham, Cockfield (C. B.); Sudbury (King); Bury St. Edmund's (B. M.)

ACHATINA. *Lam.*

Achatina acicula Müll.

Localities—Suffolk (Sheppard); Melton (Powles); Sudbury (C. B.); Bury St. Edmund's (B. M.)

CARYCHIUM. *Müll.*

Carychium minimum Müll.

Localities—Suffolk (Sheppard); Blaxhall (Rope); Felsham (C. B.); Sudbury (King); Hardwick (B. M.); Bury St. Edmund's (Ips. Mus.)

CYCLOSTOMA. *Drap.*

Cyclostoma elegans Müll.

Localities—Suffolk (Sheppard); Sudbury (King).

ACME. *Hartmann.*

Acme lineata Drap.

Localities—Ipswich (C. B.); Sudbury (King as *Acme fusca*).